

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.09.2018

Version number 2

Revision: 13.09.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name webervetonit REP 975 Repair Mortar 1.2 mm

Safety data sheet no.: 358P0127

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

email: info@e-weber.fi

www.e-weber.fi

1.4 Emergency telephone number: Tel. +358-(0)10-44 22 00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

cement portland, grey

calcium diformate

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P102 Keep out of reach of children.

P261 Avoid breathing dust.

P280 Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

EUG

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.09.2018

Version number 2

Revision: 13.09.2018

Trade name webervetonit REP 975 Repair Mortar 1.2 mm

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Ready-mixed mortar with Portland cement

Dangerous components:

CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey ☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	25-50%
CAS: 544-17-2 EINECS: 208-863-7 Reg.nr.: 01-2119486476-24-xxxx	calcium diformate ☠ Eye Dam. 1, H318	0.1-1%

SVHC Void

Additional information

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation Supply fresh air and to be sure call for a doctor.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

Risk of eye damage in contact with dry or moist product. Irritating to skin and respiratory tract.

Repeated and/or long-term inhalation of dust may increase the risk of lung diseases.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

EUG

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.09.2018

Version number 2

Revision: 13.09.2018

Trade name webervetonit REP 975 Repair Mortar 1.2 mm

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

The product is not combustible.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up:

The dry powder and the fresh product is removed with water. The hardened product is removed mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: Store in dry conditions.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs		
CAS: 544-17-2 calcium diformate		
Oral	Derived No Effect Level	23.9 mg/kgxday (consumer systemic long term value)

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.09.2018

Version number 2

Revision: 13.09.2018

Trade name webervetonit REP 975 Repair Mortar 1.2 mm

(Contd. of page 3)

Dermal	Derived No Effect Level	4780 mg/kgxday (worker systemic long term value) 4780 mg/kgxday (worker systemic short term value) 2390 mg/kgxday (consumer systemic long term value) 2390 mg/kgxday (consumer systemic short term value)
	Derived No Effect Level	16.7 mg/cm ² (worker local short term value) 16.7 mg/cm ² (worker local long term value) 8.3 mg/cm ² (consumer local long term value) 8.3 mg/cm ² (consumer local short term value)
Inhalative	Derived No Effect Level	337 mg/m ³ (worker systemic long term value) 337 mg/m ³ (worker systemic short term value) 83.2 mg/m ³ (consumer systemic long term value) 83.2 mg/m ³ (consumer systemic short term value)

PNECs

CAS: 544-17-2 calcium diformate

Predicted No Effect Concentration	1.5 mg/kgxdwt (earth rating factor) 13.4 mg/kgxdwt (sediment distribution balance) 1.34 mg/kgxdwt (sea water distribution balance)
Predicted No Effect Concentration	2.21 mg/l (earth rating factor) 0.2 mg/l (sea water rating factor) 2 mg/l (fresh water rating factor)

CAS No. Designation of material % Type Value Unit

Additional Occupational Exposure Limit Values for possible hazards during processing:

Finland: cement

inhalable dust OEL(8h) = 5 mg/m³

respirable dust OEL(8h) = 1 mg/m³

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Protective gloves.

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing.

EUG

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.09.2018

Version number 2

Revision: 13.09.2018

Trade name webervetonit REP 975 Repair Mortar 1.2 mm

(Contd. of page 4)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Powder
Colour:	According to product specification
Odour:	Specific type
Odour threshold:	Not determined.

pH-value:	12-13 (veteen sekoitettuna)
------------------	-----------------------------

Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.

Flash point:	Not applicable
---------------------	----------------

Flammability (solid, gas):	Not applicable.
-----------------------------------	-----------------

Ignition temperature:	Not determined.
------------------------------	-----------------

Decomposition temperature:	Not determined.
-----------------------------------	-----------------

Auto-ignition temperature:	Product is not selfigniting.
-----------------------------------	------------------------------

Explosive properties:	Product does not present an explosion hazard.
------------------------------	---

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Oxidising properties	Not determined.
-----------------------------	-----------------

Vapour pressure:	Not determined.
-------------------------	-----------------

Density:	1.5-1.7 g/cm ³
-----------------	---------------------------

Bulk density:	Not applicable.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

Solubility in / Miscibility with

Water:	Miscible
---------------	----------

Segregation coefficient (n-octanol/water) log

Pow:	Not determined.
-------------	-----------------

Viscosity:

dynamic:	Not determined.
kinematic:	Not determined.

Solvent separation test:	Not determined
---------------------------------	----------------

Solvent content:

Organic solvents:	0.0 %
EU-VOC	0.00 %

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.09.2018

Version number 2

Revision: 13.09.2018

Trade name webervetonit REP 975 Repair Mortar 1.2 mm

(Contd. of page 5)

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity When mixed with water the product hardens forming a stable non-reactive mass.

10.2 Chemical stability Stable at recommended storage conditions

10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid

Avoid water ingress/moisture during storage (the product will react with moisture and harden).

10.5 Incompatible materials: Acids, ammonium salts, aluminum, non-precious metals.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 65997-15-1 cement portland, grey			
Dermal	LD50	> 2000 mg/kg	(Rabbit)
CAS: 1317-65-3 limestone			
Oral	LD50	> 5000 mg/kg	(Rat)
CAS: 544-17-2 calcium diformate			
Oral	LD50	2650 mg/kg	(Rat)

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.09.2018

Version number 2

Revision: 13.09.2018

Trade name webervetonit REP 975 Repair Mortar 1.2 mm

(Contd. of page 6)

Type of test Effective concentration Method Assessment	
CAS: 1317-65-3 limestone	
LC50/96h	>10000 mg/l (Oncorhynchus mykiss (Rainbow trout))
EC50/48h	>1000 mg/l (Daphnia magna)
EC50/72h	>200 mg/l (Algae)
CAS: 544-17-2 calcium diformate	
IC50/72h	> 1000 mg/l (Algae)
LC50/96h	< 1000 mg/l (Fish)
LC0/48h	1000 mg/l (Leuciscus idus (Orfe))
LC0/96h	1000 mg/l (Brachydanio rerio (zebra danio))
NOEC (21d)	> 1000 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential Does not accumulate in organisms

Behaviour in environmental systems:

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Behaviour in sewage processing plants:

Type of test Effective concentration Method Assessment	
CAS: 544-17-2 calcium diformate	
EC 50 (3h)	> 10000 mg/l (Activated sludge)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

European waste catalogue	
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 14	waste concrete and concrete sludge

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.09.2018

Version number 2

Revision: 13.09.2018

Trade name webervetonit REP 975 Repair Mortar 1.2 mm

(Contd. of page 7)

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Portland cement clinker is exempt from REACH registration (Article 2.7b and Annex V, section 10).

REACH Annex VII Restrictions: 47. Chromium VI compounds

1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.

2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.09.2018

Version number 2

Revision: 13.09.2018

Trade name webervetonit REP 975 Repair Mortar 1.2 mm

(Contd. of page 8)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing SDS:

Saint-Gobain Finland Oy / Weber
QEHSP.O.Box 70 (Strömberginkuja 2)
FI-00381 Helsinki

Contact:

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 520

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the previous version altered.**