

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.09.2018

Version number 2

Revision: 06.07.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name webervetonit 423

Safety data sheet no.: 358P0252

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Construction chemicals

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

Saint-Gobain Finland Oy / Weber

PL 70

(Strömberginkuja 2)

FIN-00381 Helsinki

Tel. +358-(0)10-44 22 00

Fax +358-(0)10-44 22 295

email: info@e-weber.fi

www.e-weber.fi

**1.4 Emergency telephone number:** Tel. +358-(0)10-44 22 00

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

#### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS05

**Signal word** Danger**Hazard-determining components of labelling:**

calcium dihydroxide

cement portland, grey

**Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

**Precautionary statements**

P102 Keep out of reach of children.

P261 Avoid breathing dust.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/attention.

(Contd. on page 2)

EUG

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.09.2018

Version number 2

Revision: 06.07.2018

**Trade name webervetonit 423**

(Contd. of page 1)

**2.3 Other hazards**
**Results of PBT and vPvB assessment**
**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

### SECTION 3: Composition/information on ingredients

**3.2 Chemical characterisation: Mixtures**
**Description:** Ready-mixed mortar with Portland cement

**Dangerous components:**

CAS: 471-34-1 EINECS: 207-439-9 Reg.nr.: 01-2119486795-18-xxxx	calcium carbonate substance with a Community workplace exposure limit	>50%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx	calcium dihydroxide ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335	5-10%
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	5-10%

**SVHC** Void

**Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**
**After inhalation** Supply fresh air and to be sure call for a doctor.

**After skin contact** Immediately wash with water and soap and rinse thoroughly.

**After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Rinse liquid should be tempered (20-30°C).

**After swallowing**

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

**4.2 Most important symptoms and effects, both acute and delayed**

Risk of eye damage in contact with dry or moist product.

Irritating to skin and respiratory tract.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media**
**Suitable extinguishing agents**

The product is not combustible.

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.09.2018

Version number 2

Revision: 06.07.2018

**Trade name webervetonit 423**

(Contd. of page 2)

**5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

**5.3 Advice for firefighters**

**Protective equipment:** No special measures required.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Avoid formation of dust.

**6.2 Environmental precautions:** No special measures required.

**6.3 Methods and material for containment and cleaning up:**

The dry powder and the fresh product is removed with water. The hardened product is removed mechanically.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Prevent formation of dust.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** Store in dry conditions.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**Additional information about design of technical facilities:**

Finland: cement

inhalable dust OEL(8h) = 5 mg/m<sup>3</sup>

respirable dust OEL(8h) = 1 mg/m<sup>3</sup>

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

<b>DNELs</b>		
<b>CAS: 471-34-1 calcium carbonate</b>		
Inhalative	Derived No Effect Level	6.36 mg/m <sup>3</sup> (worker local long term value) 1.06 mg/m <sup>3</sup> (consumer local long term value)
<b>CAS: 1305-62-0 calcium dihydroxide</b>		
Inhalative	Derived No Effect Level	1 mg/m <sup>3</sup> (consumer local long term value)

(Contd. on page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.09.2018

Version number 2

Revision: 06.07.2018

Trade name webervetonit 423

(Contd. of page 3)

	4 mg/m <sup>3</sup> (consumer local short term value)
<b>PNECs</b>	
<b>CAS: 1305-62-0 calcium dihydroxide</b>	
Predicted No Effect Concentration	0.49 mg/l (fresh water rating factor) 1.08 mg/l (soil/groundwater)
<b>CAS No. Designation of material % Type Value Unit</b>	
<b>CAS: 471-34-1 calcium carbonate</b>	
TLV (EUG)	Long-term value: 10 mg/m <sup>3</sup>
<b>CAS: 1305-62-0 calcium dihydroxide</b>	
IOELV (European Union)	Short-term value: 4 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup> Respirable fraction

**8.2 Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Filter P2.

**Protection of hands:**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

**Eye protection:** Tightly sealed goggles**Body protection:** Protective work clothing.

## SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Powder
<b>Colour:</b>	Grey
<b>Odour:</b>	Specific type
<b>Odour threshold:</b>	Not determined.

<b>pH-value:</b>	12-13 In water
------------------	-------------------

**Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	Undetermined.

<b>Flash point:</b>	Not applicable
---------------------	----------------

(Contd. on page 5)

EUG

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.09.2018

Version number 2

Revision: 06.07.2018

Trade name webervetonit 423

(Contd. of page 4)

<b>Flammability (solid, gas):</b>	Product is not flammable.
<b>Ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>Auto-ignition temperature:</b>	Product is not selfigniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Oxidising properties</b>	Not determined.
<b>Vapour pressure:</b>	Not applicable.
<b>Density:</b>	1.3-1.5 g/cm <sup>3</sup>
<b>Vapour density</b>	Not applicable.
<b>Evaporation rate</b>	Not applicable.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Unsoluble
<b>Segregation coefficient (n-octanol/water) log</b>	
<b>Pow:</b>	Not determined.
<b>Viscosity:</b>	
<b>dynamic:</b>	Not determined.
<b>kinematic:</b>	Not determined.
<b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>EU-VOC</b>	0.00 %
<b>Solids content:</b>	100.0 %
<b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

**10.1 Reactivity** When mixed with water the product hardens forming a stable non-reactive mass.

**10.2 Chemical stability** Stable at recommended storage conditions

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid**

Avoid water ingress/moisture during storage (the product will react with moisture and harden).

**10.5 Incompatible materials:** Acids, ammonium salts, aluminum, non-precious metals.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on toxicological effects**

**Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

EUG

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.09.2018

Version number 2

Revision: 06.07.2018

**Trade name webervetonit 423**

(Contd. of page 5)

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 471-34-1 calcium carbonate</b>			
Oral	LD50	6,450 mg/kg	(Rat)
Dermal	LD50	6,450 mg/kg	(Rat)
<b>CAS: 1305-62-0 calcium dihydroxide</b>			
Oral	LD50	7,340 mg/kg	(Rat)
Dermal	LD50	>2,500 mg/kg	(Rabbit)
<b>CAS: 65997-15-1 cement portland, grey</b>			
Dermal	LD50	>2,000 mg/kg	(Rabbit)

**Primary irritant effect:**

**Skin corrosion/irritation**

Skin irritation possible due to drying effect.

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

Type of test	Effective concentration	Method	Assessment
<b>CAS: 471-34-1 calcium carbonate</b>			
EC50/72h	14 mg/l	(Algae)	
<b>CAS: 1305-62-0 calcium dihydroxide</b>			
LC50/96h	158 mg/l	(Daphnia magna)	
	>50.6 mg/l	(Fish)	
EC50/48h	49.1 mg/l	(Daphnia magna)	
EC50/72h	184.57 mg/l	(Algae)	

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** Does not accumulate in organisms

**Behaviour in environmental systems:**

**12.4 Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

**Remark:**

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

(Contd. on page 7)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.09.2018

Version number 2

Revision: 06.07.2018

**Trade name** webervetonit 423

(Contd. of page 6)

**Additional ecological information:****General notes:** Do not allow product to reach ground water, water course or sewage system.**12.5 Results of PBT and vPvB assessment****PBT:** Does not contain PBT substances.**vPvB:** Does not contain vPvB substances.**12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods****Recommendation**Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish.  
Possible waste code 17 09 04.**European waste catalogue**

Possible waste code. The concrete waste code depends on the source of the waste.

10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
----------	--------------------------------------------------------------------------------------------------

**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

**14.1 UN-Number**

ADR, ADN, IMDG, IATA Void

**14.2 UN proper shipping name**

ADR, ADN, IMDG, IATA Void

**14.3 Transport hazard class(es)**ADR, ADN, IMDG, IATA  
Class Void**14.4 Packing group**

ADR, IMDG, IATA Void

**14.5 Environmental hazards:**

Not applicable.

**14.6 Special precautions for user**

Not applicable.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

**Transport/Additional information:**

Not dangerous according to the above specifications.

**UN "Model Regulation":**

Void

EUG

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.09.2018

Version number 2

Revision: 06.07.2018

**Trade name webervetonit 423**

(Contd. of page 7)

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Portland cement clinker is exempt from REACH registration (Article 2.7b and Annex V, section 10).

REACH Annex VII Restrictions: 47. Chromium VI compounds

1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.
2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information****Relevant phrases**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

**Department issuing SDS:**

Saint-Gobain Finland Oy / Weber  
QEHS  
P.O.Box 70 (Strömberginkuja 2)  
FI-00381 Helsinki

**Contact:**

Tel. +358-(0)10-44 22 00  
Fax +358-(0)10-44 22 520

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organisation  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.09.2018

Version number 2

Revision: 06.07.2018

**Trade name webervetonit 423**

(Contd. of page 8)

SVHC: Substances of Very High Concern (REACH regulation)  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
**\* Data compared to the previous version altered.**

EUG